

# DVGW-Baumusterprüfzertifikat

## DVGW type examination certificate

**DG-8531B00393**

Registriernummer  
registration number

<b>Anwendungsbereich</b> <i>field of application</i>	Produkte der Gasversorgung <i>products of gas supply</i>
<b>Zertifikatinhaber</b> <i>owner of certificate</i>	Viega GmbH & Co. KG Ennester Weg 9, D-57439 Attendorn
<b>Vertreiber</b> <i>distributor</i>	Viega GmbH & Co. KG Ennester Weg 9, D-57439 Attendorn
<b>Produktart</b> <i>product category</i>	installation systems and system joints: Compression joint for metallic gas pipes (8531)
<b>Produktbezeichnung</b> <i>product description</i>	pressing joint made of stainless steel with SC-Contur for pipes made of stainless steel according to DVGW working sheet W 541, leaky in the non-pressed state
<b>Modell</b> <i>model</i>	sanpress INOX G mit SC-Contur
<b>Prüfberichte</b> <i>test reports</i>	laboratory control test: 120000428-09 from 28.08.2009 (MPM)
<b>Prüfgrundlagen</b> <i>basis of type examination</i>	DVGW VP 614 (01.05.2005)

**Ablaufdatum / AZ** 10.10.2012 / 09-0623-GNV  
*date of expiry / file no.*

08.09.2009 Rie A-1/2

Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle  
*date, issued by, sheet, head of certification body*

DVGW CERT GmbH - von der Deutschen Akkreditierungsstelle Technik (DATech) in der TGA GmbH akkreditiert für die Konformitätsbewertung von Produkten der Gas- und Wasserversorgung

DVGW CERT GmbH - accredited by Deutsche Akkreditierungsstelle Technik (DATech) in the TGA GmbH for conformity assessment of products of gas and water supply



DAT-ZE-009/96-02

DVGW CERT GmbH  
Josef-Wirmer-Straße 1-3  
53123 Bonn

Telefon: +49 228 91 88-888  
Telefax: +49 228 91 88-993  
eMail: info@dvgw-cert.com

<b>Gasart</b> <i>gas category</i>	<b>Bemerkungen</b> <i>remarks</i>
fuel gases according to G260	

<b>Typ</b> <i>type</i>	<b>Technische Daten</b> <i>technical data</i>	<b>Bemerkungen</b> <i>remarks</i>
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 15 mm	
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 18 mm	
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 22 mm	
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 28 mm	
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 35 mm	
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 42 mm	
sanpress INOX G	nominal pressure rating: PN 5/GT 5 nominal diameter: 54 mm	

**Verwendungshinweise / Bemerkungen**  
*hints of utilization / remarks*

connection: at all sides pressing joints  
 pressing tool: model "Viega Typ III" with pressing jaw model "Nussbaum/Viega"  
 ambient temperature range: -20...+70 °C  
 The requirements of the higher thermal resistance are fulfilled until pressure rating PN 5 (GT 5).